

## Surface Bolts

The 0445 Knob Slide Surface Mounted Door Bolt comes with a spring loaded stop button, is offered in several lengths and with a Cranked Shoot option.


The 0454 Lever Action Surface Mounted Door Bolt design features a shallow overall projection of just 22mm and is available in two lengths.



▲ **0445** shown with staple option (ST)



shoot size 13 x 13  
length of throw 25  
projection 47



	A	B	C	D	E	F	
L (length)	203	305	381	457	610	914	custom lengths upon request (203mm minimum)
FP (no.)	4	4	4	6	6	6	


(\*) cranked shoot available on size C and above



▲ **0454** shown with staple option (ST)

shoot size 16 x 13  
length of throw 16  
projection 22


	A	B
L (length)	229	305



### Fixings

Bolt Bodies & Staples (ST) supplied with finish matched no.8 x 25mm wood screws.

FP, AP & UP supplied with finish matched no.6 x 19mm wood screws.




▲ **FP**  
Flat Strike Plate






▲ **AP**  
Angle Strike Plate



▲ **UP**  
Universal Strike Plate



▲ **CK** cranked version  
(0445 only\*)



## Surface Bolts

Two Surface Mounted Door Bolts incorporating a concealed spring loaded mechanism to hold the bolt shoot in the thrown & retracted positions. Available in various lengths offered with a locking option featuring a finish matched non-removable Locking Cap, a Cranked Shoot version, and the option of a fully retractable Extended Throw.



### Fixings


6481 Bolt Body & Staple (ST) supplied with finish matched no.8 x 25mm wood screws.

6473 Bolt Body & Staple supplied with finish matched no.6 x 25mm wood screws.


FP's, AP's & UP's supplied with finish matched no.6 x 19mm wood screws.



▲ **6481** shown with staple option (ST)



shoot size 14 x 8  
length of throw 25  
(extended throw  
available - see notes)  
projection 39





	AA	A	B	C	D	E	F	custom lengths upon request (100mm minimum)
L (length)	100	150	200	250	300	450	600	
FP (no.)	4	4	6	6	6	8	8	


(\*) cranked shoot available on size C and above



▲ **6473** shown with staple option (ST)



shoot size 10 x 10  
length of throw 20  
(extended throw  
available - see notes)  
projection 28



	A	B	C	custom lengths upon request (100mm minimum)
L (length)	100	150	200	
FP (no.)	4	6	6	

(\*) cranked shoot available on size C and above

## Skeleton Bolts


Two Surface Mounted Skeleton Door Bolts incorporating a concealed spring loaded mechanism to hold the bolt shoot in the thrown & retracted positions, both offered in several lengths, and both available with the option of a Cranked Shoot.

The 6507 complements the 0807 type Cremone Bolt and the 6536 complements the 0836 & 0846 types (see section DB3).




### Fixings


Bolt Bodies & Staples (ST) supplied with finish matched no.8 x 25mm wood screws.  
FP, AP & UP supplied with finish matched no.6 x 19mm wood screws.




▲ 6507 shown with staple option (ST)





(\*) cranked shoot available on size C and above



▲ 6536 LH shown with staple option (ST)



(\*) cranked shoot available on size C and above



## Skeleton Bolts

Three Surface Mounted Skeleton Door Bolts incorporating a concealed spring loaded mechanism to hold the bolt shoot in the thrown & retracted positions, both offered in several lengths, and both available with the option of a Cranked Shoot.

The 6510 and 6511 complement the 0810 type Cremone Bolt and the 6522 complements the 0822 type (see section DB3).



### Fixings

Bolt Bodies & Staples (ST) supplied with finish matched no.6 x 25mm wood screws.  
FP, AP & UP supplied with finish matched no.6 x 19mm wood screws.

**Chamfered shoot end**



▲ **6510** shown with staple option (ST)



Extra guides supplied on lengths 450mm and above

▲ **6511** shown with staple option (ST)




Extra guides supplied on lengths 450mm and above

▲ **6522** shown with staple option (ST)



Extra guides supplied on lengths 450mm and above

shoot size 10 x 10  
length of throw 20  
6510/6522 projection 36  
6511 projection 27



	A	B	C	D	E	F	G	custom lengths upon request (120mm minimum)
L	120	150	200	250	300	450	600	

(\*) cranked shoot available on size C and above



type 3 supplied

▲ **FP**  
Flat Strike Plate



type 3 supplied

▲ **AP**  
Angle Strike Plate




type 3 supplied

▲ **UP**  
Universal Strike Plate



▲ **CK** cranked version (\*)

see pages DB4:020 & 021 to order Strikes & Staples separately if required



## Skeleton Bolts


Two Surface Mounted Skeleton Door Bolts offered with different knob designs incorporating a concealed spring loaded mechanism to hold the bolt shoot in the thrown & retracted positions. Both are available in several lengths, and with the option of a Cranked Shoot.

Both complement the 0801 type Cremone Bolt (see section DB3).



### Fixings

Bolt Bodies & Staples (ST) supplied with finish matched no.6 x 32mm wood screws.  
FP, AP & UP supplied with finish matched no.6 x 19mm wood screws.




▲ **6501** shown with staple option (ST)

shoot size 13 x 6  
length of throw 18  
projection 32




**Chamfered shoot end**



	A	B	C	D	E	F	G	custom lengths upon request (120mm minimum)
L	120	150	200	250	300	450	600	

(\*) cranked shoot available on size C and above




▲ **6503** shown with staple option (ST)

shoot size 13 x 6  
length of throw 18  
projection 34




**Chamfered shoot end**



	A	B	C	D	E	F	G	custom lengths upon request (120mm minimum)
L	120	150	200	250	300	450	600	

(\*) cranked shoot available on size C and above




▲ **FP**  
Flat Strike Plate

▲ **AP**  
Angle Strike Plate

▲ **UP**  
Universal Strike Plate

▲ **CK** cranked version (\*)

see pages DB4:020 & 021 to order Strikes & Staples separately if required







## Chain Bolt & Foot Bolt

A spring loaded Chain Bolt supplied with a Hold Open Peg to secure the Chain Ring in the retracted position, along with a matching Foot Bolt.



Both are available in two lengths as standard.



**6494** (available with longer chains upon request)

### Fixings

Supplied with finish matched no.8 x 25mm wood screws (except Flat Strike Plates no.6 x 19mm & Easy-Clean Floor Sockets no.6 x 38mm).



▲ **6492**



# Loop Handle Bolt

A Loop Handle Bolt that can be installed either at the top of a tall door, or at the bottom of any door, where ease of use is important. The generously designed Loop Handle provides for a good grip and is ideal for anyone who finds a regular knob type bolt difficult to operate. This Bolt incorporates a concealed spring loaded mechanism to hold the bolt shoot in the thrown & retracted positions.



## Fixings

Bolt Body & Staple (ST) supplied with finish matched no.8 x 25mm wood screws.  
FP's, AP's & UP's supplied with finish matched no.6 x 19mm wood screws.



lockable version (LK)

non-lockable version

maximum projection 42 (including loop handle)  
shoot size 14 x 8  
length of throw 25 (extended throw available)


Chamfered  
shoot end

\*please note guide  
lengths will increase  
when ordering extended  
throw versions.

6487 shown with staple option (ST)

▲ <b>LK</b> lockable version (nickel plated key supplied)	▲ <b>FP</b> Flat Strike Plate see pages DB4:020 & 021 for Strike Plate & Staple dimensions (and to order separately if required)	▲ <b>AP</b> Angle Strike Plate	▲ <b>UP</b> Universal Strike Plate	▲ <b>CK</b> cranked version


	A	B	C	D	custom lengths upon request (300mm minimum)
L (length)	300	400	500	600	

## Privacy Bolts

The 8052 & 8053 Privacy Bolts are designed for use on traditional closet doors and feature an external emergency coin release. They are non-handed and supplied with a reversible disc offering a choice of either vacant/engaged or red/green indication.

The 0448 is a small yet versatile Bolt which is suitable for door, cabinet, or window applications.

Both Bolts are available with alternative Knob designs and extended shoots. Please contact us to discuss possibilities.



shoot size 13 x 6, length of throw 22, projection 24

- ▲ **8052** Privacy Bolt Set supplied with Box Keeper
- ▲ **8053** Privacy Bolt Set supplied with Universal Strike Plate

### Fixings

0448 supplied with finish matched no.6 x 19mm wood screws.  
8052 supplied with finish matched no.6 x 25mm wood screws.  
8053 supplied with finish matched no.6 x 19mm & no.6 x 25mm wood screws.



- ▲ **0448** supplied with both Staple & FSP (Angle Strike Plate available to order separately)

