


# Thumb Turns - 44mm to 76mm Ø Rosettes

A Rosette & Thumb Turn combination with 5mm spindle fitted, offered with twelve Rosette designs - each available in up to four sizes - and over twenty different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



approx actual size B



	A*	B	C	D
D (diameter)	Ø 44	Ø 54	Ø 64	Ø 76


Custom sizes available upon request - surcharge may apply.

\* 7470 not available in A size



See page ST7:130 & 140 for Turn options

▲ 7460 size B Rosette with T61 Turn



▲ 7469

▲ 7470

▲ 7471

▲ 7472


## Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws, 5-8mm converter sleeve and installation instructions.

Pre-Bore Adaptors supplied with M5 machine screws to suit doors between 32mm and 44mm thick. Longer screws are available - see page ST6:070.




Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.



subrose, alignment insert, and 5-8mm converter sleeve supplied

▲ **PRE** pre-bored adaptor option (see ST6:070 for dimensions)


▲ **CLS** closet spindle option



▲ spindle orientation

# Coin Releases - 44mm to 76mm Ø Rosettes

A concealed fix Coin Release offered in twelve designs and up to four sizes to match up with the Thumb Turns to be found on page ST7:010.




designed to work in conjunction with Allart Select thumb turns (ST7:010)

	A*	B	C	D
D (diameter)	Ø 44	Ø 54	Ø 64	Ø 76

Custom sizes available upon request - surcharge may apply.

\* 7470CR not available in A size.

▲ 7462CR



## Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions.





Subrose and alignment insert supplied

# Coin Releases - 54mm to 76mm Ø with indicator

A concealed fix Coin Release with red/green status indication, offered in 3 diameters and twelve designs to match up with the Thumb Turns to be found on page ST7:010.

Due to design restrictions this Indicating Release is not available in 44mm diameter.



	A	B	C	D
D (diameter)	—	Ø 54	Ø 64	Ø 76



▲ 7485




▲ 7480

▲ 7481

▲ 7482

▲ 7483

▲ 7485



▲ 7486

▲ 7487

▲ 7488

▲ 7489

▲ 7490



▲ 7491

▲ 7492

## Fixings

Supplied with no.4 x 13mm wood screws (faceplate threads on for concealed fixing).



## How to Order

- 1) select RELEASE (e.g. **7480**)
- 2) add SIZE (e.g. **7480B**)
- 3) add FINISH (e.g. **7480B/PB**)

**Finishes** - See our price list or website for finish availability.






# Thumb Turns - 38mm Ø Rosettes

A Rosette & Thumb Turn combination with 5mm spindle fitted, offered with ten Rosette designs and eight different Thumb Turns.



Please contact us should you require additional information on Thumb Turn combinations.



▲ 7934 Rosette with T61 Turn



See page ST7:130 & 140 for dimensions



## Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

# Coin Releases - 38mm Ø Rosettes

A concealed fix Coin Release offered in ten designs to match up with the Thumb Turns to be found on page ST7:050.




## Fixings


Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions.



Subrose and alignment insert supplied




designed to work in conjunction with Allart Select thumb turns (ST7:050)




# Thumb Turns - 32mm Ø Rosettes

A Rosette & Thumb Turn combination with 5mm spindle fitted, offered with ten Rosette designs and over twenty different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



▲ 7945 Rosette with T51 Turn



## Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws, release key and installation instructions.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.




A 5-8mm converter sleeve is available - see page ST6:070



▲ subrose and alignment insert supplied



▲ **CLS** closet spindle option (see page ST6:070 for dimensions)



▲ spindle orientation



# Coin Releases - 32mm Ø Rosettes

A concealed fix Coin Release offered in ten designs to match up with the Thumb Turns to be found on page ST7:070.




## Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions.



Subrose and alignment insert supplied



designed to work in conjunction with Allart Select thumb turns (ST7:070)





# Thumb Turns - Concealed Fix Square Plates


A Concealed Fix Square Plate & Thumb Turn combination with 5mm spindle fitted, offered with nine Square Plate designs - each available in up to five sizes - and over 30 different Thumb Turns.



6003AB/T78 shown actual size



See pages ST7:130 &amp; 140 for Turn options



	AB	AA	A	B	C
L x W x T	32 x 32 x 5	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
3253 only	47 x 32 x 5	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

Custom sizes available upon request - surcharge may apply.




5903AB/T67S/PN

## Fixings

All sizes supplied with subrose, alignment insert, no.4 x 13mm wood screws, assembly key, allen key, and installation instructions. In addition, sizes A, B & C are supplied with a 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.



size B shown with T55 turn

▲ 3203



size B shown with T59 turn

▲ 4703



size B shown with T63 turn

▲ 4903



size B shown with T61 turn

▲ 5903



size B shown with T62 turn

▲ 6003



size B shown with T68 turn

▲ 6603



size B shown with T56 turn

▲ 6703 (square edge design)



size B shown with T55 turn

▲ 6803 (round edge design)



size B shown with T66 turn


▲ 8703



▲ 5-8mm converter sleeve supplied with sizes A, B &amp; C only



▲ CLS closet spindle option (see page ST6:070 for dimensions)




▲ spindle orientation

# Releases - Concealed Fix Square Plates

A Concealed Fix Square Plate Swing Cover Release offered in nine designs and five sizes to match up with the Thumb Turns to be found on page ST7:085.

Beneath the Swing Cover we offer a choice of either a plain hole to accept a release key or a coin release as shown.



	AB	AA	A	B	C
L x W x T	32 x 32 x 5	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
8920/8950	47 x 32 x 5	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6


Custom sizes available upon request - surcharge may apply.

## Fixings

Supplied with finished matched no. 4 x 19mm wood screws. In addition the plain hole version is supplied with a release key


.....

## computer generated images



# Thumb Turns - Face Fixed Square Plates

A Face Fixed Square Plate & Thumb Turn combination with 5mm spindle fitted, offered with nine Square Plate designs - each available in up to four sizes - and over 30 different Thumb Turns.



	AA	A	B	C
L x W x T	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
3253 only	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

Custom sizes available upon request - surcharge may apply.



▲ 3253



▲ 4753



▲ 4953




▲ 5953



▲ 6053



▲ 6653




▲ 6753 (square edge design)



▲ 6853 (round edge design)



▲ 8753



## Fixings

Size AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws and 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.



# Releases - Face Fixed Square Plates

A Face Fixed Square Plate with Swing Cover/Coin Release options offered in nine designs and four sizes to match up with the Thumb Turns to be found on page ST7:090.


Size AA is only available with code R01 Coin Release.

For sizes A, B & C please see page ST6:040 for Swing Cover/Coin Release options.

5953A/R02/PN



Swing Cover/Coin Release options - see page ST6:040



	AA*	A**	B	C
L x W x T	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
3253 only	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

\* only available with R00 & R01 Releases

\*\* only available with R00, R01 & R02 Releases


Custom sizes available upon request - surcharge may apply.

## Fixings

Sizes AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws.

All images shown below are B size (54mm) with R02 coin release



# Thumb Turns - Concealed Fix Diamond Plates

A Concealed Fix Diamond Plate & Thumb Turn combination with 5mm spindle fitted, offered with four Diamond Plate designs - each available in five sizes - and over 30 different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.




5904AA/T67S/PN

## Fixings

All sizes supplied with subrose, alignment insert, no.4 x 13mm wood screws, assembly key, allen key, and installation instructions. In addition, sizes A, B & C are supplied with a 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.



size B shown with T59 turn

▲ 4704



size B shown with T66 turn

▲ 4904





size B shown with T61 turn

▲ 5904



size B shown with T62 turn


▲ 6004



See pages ST7:130 &amp; 140 for Turn options

	AB	AA	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6


Custom sizes available upon request - surcharge may apply.



▲ 5-8mm converter sleeve supplied with sizes A, B & C only



▲ **CLS** closet spindle option (see page ST6:070 for dimensions)



▲ spindle orientation

# Releases - Concealed Fix Diamond Plates

A Concealed Fix Diamond Plate Swing Cover Release offered in four designs and five sizes to match up with the Thumb Turns to be found on page ST7:105.

Beneath the Swing Cover we offer a choice of either a plain hole to accept a release key or a coin release as shown.





8933AA/PN

## Fixings

Sizes AB & AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws.



	AB	AA	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6


Custom sizes available upon request - surcharge may apply.



# Thumb Turns - Face Fixed Diamond Plates

A Face Fixed Diamond Plate & Thumb Turn combination with 5mm spindle fitted, offered with four Diamond Plate designs - each available in five sizes - and over 30 different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



4954B/T63S/SN

## Fixings

Sizes AB & AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws and 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.



size B shown with T59 turn

▲ 4754



size B shown with T66 turn

▲ 4954





size B shown with T61 turn

▲ 5954



size B shown with T62 turn

▲ 6054




See pages ST7:130 &amp; 140 for Turn options

	AB	AA	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6

Custom sizes available upon request - surcharge may apply.



▲ 5-8mm converter sleeve supplied with sizes A, B &amp; C only


▲ **CLS** closet spindle option (see page ST6:070 for dimensions)



▲ spindle orientation

# Releases - Face Fixed Diamond Plates

A Face Fixed Diamond Plate with Swing Cover/Coin Release options offered in four designs and five sizes to match up with the Thumb Turns to be found on page ST7:110.

Sizes AB & AA are only available with code R01 coin Release.

For sizes A, B & C please see page ST6:040 for Swing Cover/Coin Release options.




## Fixings

Sizes AB & AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws.

### Swing Cover/Coin Release options - see page ST6:040



	AB*	AA*	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6

\* only available with R01 Coin Release

Custom sizes available upon request - surcharge may apply.

# Thumb Turn Options

▲ T51†		▲ T61◇		▲ T65◇	
▲ T53†		▲ T66◇		▲ T54†	
▲ T52†		▲ T62◇		▲ T68◇	
▲ T55† 30(H) x 17(W) x 27(P) T72† 25(H) x 13(W) x 21(P)		▲ T56† 30(H) x 17(W) x 27(P) T73† 25(H) x 13(W) x 21(P)		▲ T63†	
▲ T57		▲ T58		▲ T69†	































<sup>†</sup> Turn design not suitable for use with 38mm Ø rosettes (page ST7:050).

<sup>◇</sup> Turn design not suitable for use with 32mm Ø rosettes (page ST7:070).

\* Total projection: add 7mm for rosette & 6mm for plate.



# Thumb Turn Options

  <p>▲ <b>T59†</b></p>	  <p>▲ <b>T60†</b></p>	  <p>▲ <b>T75†</b></p>
  <p>computer generated image</p> <p>▲ <b>T76†</b></p>	  <p>▲ <b>T74†</b></p>	  <p>▲ <b>T77†</b></p>
  <p>▲ <b>T89†</b></p>	  <p>▲ <b>T67†</b></p>	  <p>▲ <b>T79†</b> 38(H) x 21(W) x 26(P) ▲ <b>T78†</b> 30(H) x 17(W) x 24(P)</p>
  <p>▲ <b>T86†</b></p>	  <p>▲ <b>T87†</b></p>	  <p>▲ <b>T88†</b></p>
  <p>▲ <b>T82†</b> 32(A/F) x 30(P) ▲ <b>T81†</b> 25(A/F) x 25(P)</p>	  <p>▲ <b>T84†</b> 32(A/F) x 28(P) ▲ <b>T83†</b> 25(A/F) x 23(P)</p>	  <p>▲ <b>T64</b></p>

† Turn design not suitable for use with 38mm Ø rosettes (page ST7:050).

◇ Turn design not suitable for use with 32mm Ø rosettes (page ST7:070).

\* Total projection: add 7mm for rosette & 6mm for plate.

## SPINDLE ORIENTATION



▲ **S** Square (e.g. **T61S**)



▲ **D** Diamond (e.g. **T61D**)

# Additional Turns, Releases & Escutcheons

Available in the Door Furniture sections DF5 & DF6.

