Door Lever Sets - 55 series

Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 5512 Concealed Fix Rosette supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

Split Finish Sets -How to Order order as singles

5510, 5512, 5516, 5521 & 5531:

1) select LEVER SET (e.g. 5516) 2) add FINISH (e.g. 5516PB)

If half set only required - add HANDING (e.g. 5516PB**/LH**).

5522-5 & 5532-5:

1) select PLATE SIZE & FUNCTION (e.g. **5523**)

2) add FINISH (e.g. 5523**PC**)

3) add CENTRES (e.g. 5523PC57) If half set only required add HANDING (e.g. 5523PC57/LH).

5527-9 & 5537-9:

1) select PLATE SIZE & TURN DESIGN (e.g. 5529)

2) add FINISH (e.g. 5529PC) 3) add CENTRES (e.g. 5529PC57) For half set coding add T (turn) or R (release) and HANDING (e.g. 5529**R/**PC57**/LH**).


* For coin release with indication please contact us for coding information.


privacy turn

privacy turn

privacy turns & releases supplied loose for on-site handing - assembly tool supplied

Finishes - See our price list or website for finish availability.





privacy turn

privacy sets


DF1:010 © Frank Allart 2018

indication

(* see notes)



Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 5412 Concealed Fix Rosette supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

Split Finish Sets -How to Order order as singles

5416

.

5421-9

5421/5431

5427/5437

privacy turn

5410, 5412, 5416, 5421 & 5431: 1) select LEVER SET (e.g. 5416) 2) add FINISH (e.g. 5416PB) If half set only required - add HANDING

(e.g. 5416PB/LH). 5422-5 & 5432-5:

1) select PLATE SIZE & FUNCTION (e.g. **5423**)


2) add FINISH (e.g. $5423\mathbf{PC}$) 3) add CENTRES (e.g. 5423PC57) If half set only required add HANDING (e.g. 5423PC57/LH).


5427-9 & 5437-9:

1) select PLATE SIZE & TURN DESIGN (e.g. 5429) 2) add FINISH (e.g. 5429PC) 3) add CENTRES (e.g. 5429PC57) For half set coding add T (turn) or R (release) and HANDING (e.g. 5429**R/**PC57**/LH**).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.






5422/5432 5423/5433 keyhole with cover

keyhole

privacy turn



5429/5439 privacy turn privacy turns & releases supplied loose for on-site handing - assembly tool supplied oval cylinder

standard release

supplied with

privacy sets

5424/5434

5425/5435



release with indication (* see notes)

DF1:020 © Frank Allart 2018

Door Lever Sets - 52 series

Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 5222 Concealed Fix Rosette supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order Split Finish Sets order as singles

5220, 5222, 5246, 5251 & 5261:

1) select LEVER SET (e.g. **5246**)

2) add FINISH (c.g. 5246**PB**) If half set only required - add HANDING (c.g. 5246PB**/LH**).

5252-5 & 5262-5:

1) select PLATE SIZE & FUNCTION (e.g. **5253**)

2) add FINISH (e.g. 5253**PC**) 3) add CENTRES (e.g. 5253PC**57**) If half set only required add HANDING (e.g. 5253PC57**/LH**).

5257-9 & 5267-9:

l) select PLATE SIZE & TURN DESIGN (e.g. **5259**)

2) add FINISH (c.g. 5259**PC**) 3) add CENTRES (c.g. 5259PC57) For half set coding add T (turn) or R (release) and HANDING (c.g. 5259**R**/PC57**/LH**).

 \ast For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.







© Frank Allart 2018



Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 5332 Concealed Fix Rosette supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order Split Finish Sets order as singles

5331, 5332, 5336, 5341 & 5351:

1) select LEVER SET (e.g. 5336)

2) add FINISH (e.g. 5336**PB**)

If half set only required - add HANDING (e.g. 5336PB**/LH**).

5342-5 & 5352-5:

l) select PLATE SIZE & FUNCTION (e.g. **5343**)

2) add FINISH (e.g. 5343**PC**)

3) add CENTRES (c.g. 5343PC57) If half set only required add HANDING (c.g. 5343PC57/LH).

5347-9 & 5357-9:

 select PLATE SIZE & TURN DESIGN (e.g. 5349)
 add FINISH (e.g. 5349PC)
 add CENTRES (e.g. 5349PC57)
 For half set coding add T (turn) or R (release) and HANDING (e.g. 5349R/PC57/LH).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.





© Frank Allart 2018

Door Lever Sets - 53 series

Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 5362 Concealed Fix Rosette supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or scals.

Split Finish Sets -

How to Order order as singles 5361, 5362, 5366, 5371 & 5381:

1) select LEVER SET (e.g. 5366)

2) add FINISH (e.g. 5366PB)

If half set only required - add HANDING (e.g. 5366PB/LH).

5372-5 & 5382-5:

l) select PLATE SIZE & FUNCTION (e.g. **5373**)

2) add FINISH (e.g. 5373**PC**)

3) add CENTRES (e.g. 5373PC57)

If half set only required add HANDING (e.g. 5373PC57**/LH**).

5377-9 & 5387-9:

 select PLATE SIZE & TURN DESIGN (c.g. 5379)
 add FINISH (c.g. 5379PC)
 add CENTRES (c.g. 5379PC57)
 For half set coding add T (turn) or R (release) and HANDING (c.g. 5379R/PC57/LH).

* For coin release with indication please contact us for coding information.

pr





0004							
	✓ 5361	5	 	plate siz	:e		
5366	e e				100		
(P)	ala -		5361	5362	5366	5371-9	5381-9
a		Plate Size	Ø 51	Ø 54	102 x 40	175 x 40	230 x 40
5371-9	 				Unsprun see page	e, Fixed Dead g options ava DF1:210	ailable -
5371/5381 latch/passage	5372/5382 keyhole	537 keyho	7 3/538 ole with co	3 ver	5374/53 oval cylinder	84	5375/5385 euro cylinder
▲ 5377/5387	5378/5388		9/538	9	standard relea	LSC A	release with
privacy turn rivacy turns & releases su	privacy turn applied loose for on-site handing	*	cy turn 7 tool suppl	lied	supplied with privacy sets		(* see notes)



© Frank Allart 2018



Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings


Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 1762 & 1763 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

•••••••	
How to Order	Split Finish Sets - order as singles
1760, 1761, 1762, 17	63, 1766, 1771 & 1781:
1) select LEVER SET (
2) add FINISH (e.g. 17	66 PB)
If half set only required (e.g. 1766PB /LH).	- add HANDING
1772-5 & 1782-5:	
l) select PLATE SIZE (e.g. 1773)	& FUNCTION
2) add FINISH (e.g. 17	73 PC)
3) add CENTRES (e.g.	1773PC 57)
If half set only requir (e.g. 1773PC57 /LH	
1777-9 & 1787-9:	
l) select PLATE SIZE (e.g. 1779)	& TURN DESIGN
2) add FINISH (e.g. 17	
3) add CENTRES (e.g.	
For half set coding add and HANDING (e.g. 1	
* For coin release with	indication please contact

* For coin release with indication please contact us for coding information.



	▲ 1760/1761 [†]			— pla	te size					
▲ 1766	e e									
a	E		1500	1501	1500		120	1551.0	1501.0	
E		Plate		1761 Ø 51†			1766 102 x 41	1771-9 152 x 41	1781-9 220 x 41	
		Size †Ø51		sign ha						
			4-	Ó		and		ed Dead g options e page DF	1:210	
▲ 1771-9	1781-9									
	8	0						1	9	
A 1771/1781 latch/passage	A 1772/1782 keyhole		73/17 ole with			. 774 / val cuto	1784 ^{ut}		7 75/178 5 ro cutout	ō
(Du		6				0		1	3	
A 1777/1787 privacy turn	A 1778/1788 privacy turn	priva	7 9/17 cy turn		St	andard ipplied v	with	wit	ease h indication ee notes)	
privacy turns & reicases su	pplied loose for on-site handing -	- 455011101	y-toor sti]	эрнеа	1		UPDAT	ed /18 DF	1:060	



Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 1802 & 1803 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210; and an 8mm x 90mm stainless steel spindle (60mm max. door thickness). Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

Split Finish Sets -

order as singles

How to Order 1800-6, 1811 & 1821:

 select LEVER SET (e.g. 1806)
 add FINISH (e.g. 1806PB)
 half set only required add HANDING (c.g.806PB/LH).

1812-5 & 1822-5:

l) select PLATE SIZE & FUNCTION (c.g. **1813**)

2) add FINISH (e.g. 1813 $\mathbf{PC})$

3) add CENTRES (e.g. 1813PC**57**) If half set only required add HANDING (c.g. 1813PC57**/LH**).

1817-9 & 1827-9:

l) select PLATE SIZE & TURN DESIGN (e.g. **1819**)

 add FINISH (e.g. 1819**PC**)
 add CENTRES (e.g. 1819PC**57**)
 For half set add T (turn) or R (release) and HANDING (e.g. 1819**R/**PC57**/LH**).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.







UPDATED 07/18 DF1:070 © Frank Allart 2018



Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 1622 & 1623 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

Split Finish Sets -

How to Order order as singles 1620, 1621, 1622, 1623, & 1631: 1) select LEVER SET (e.g. 1623)

2) add FINISH (e.g. 1623**PC**) If half set only required - add HANDING (e.g. 1623PC**/LH**).

1632-5:

 select FUNCTION (c.g. 1633)
 add FINISH (c.g. 1633PC)
 add CENTRES (c.g. 1633PC57)
 If half set only required add HANDING (c.g. 1633PC57/LH).

1637-9:

 select TURN DESIGN (e.g. 1639)
 add FINISH (e.g.1639PC)
 add CENTRES (e.g. 1639PC57)
 For half set coding add T (turn) or R (release) and HANDING (e.g. 1639R/PC57/LH).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.









1620/1621⁺








	1620	1621	1622	1623	1631-9
Plate Size	Ø 60	Ø 51†	Ø 54	Ø 60	215 x 50

[†]Ø51 rose design has 4 screw holes



Microtite, Fixed Dead and Unsprung options available see page DF1:210



DF1:080 © Frank Allart 2018

Door Lever Sets - 16 series

Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 1642 & 1643 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order Split Finish Sets order as singles

1640, 1641, 1642, 1643 & 1651: 1) select LEVER SET (e.g. **1643**) 2) add FINISH (e.g. 1643**PC**) If half set only required - add HANDING (e.g. 1643PC/**LH**).

1652-5:

 select FUNCTION (e.g. 1653)
 add FINISH (e.g. 1653PC)
 add CENTRES (e.g. 1653PC57)
 If half set only required add HANDING (e.g. 1653PC57/LH).


1657-9:

1) select TURN DESIGN (e.g. **1659**) 2) add FINISH (e.g.1659**PC**)

3) add CENTRES (c.g. 1659PC**57**). For half set coding add T (turn) or R (release) and HANDING (c.g. 1659**R**/PC57**/LH**).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.



DF1:090 © Frank Allart 2018

DF1:100 © Frank Allart 2018



Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings


Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 1502 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

•••••		
How to Order	Split Finish Sets - order as singles	
1501, 1502, 1506, 151	1 & 1521:	
1) select LEVER SET (e	.g. 1506)	
2) add FINISH (e.g. 150	6 PB)	
If half set only required - (e.g. 1506PB/LH).	add HANDING	
1512-5 & 1522-5:		
1) select PLATE SIZE & (e.g. 1513)	FUNCTION	
2) add FINISH (e.g. 151	3 PC)	
3) add CENTRES (e.g. 1	(513PC 57)	
If half set only required a (e.g. 1513PC57 /LH).	ıdd HANDING	
1517-9 & 1527-9:		
 1) select PLATE SIZE & (e.g. 1519) 	TURN DESIGN	
2) add FINISH (e.g. 151	9 PC)	
3) add CENTRES (e.g. 1		
For half set coding add 7 HANDING (e.g. 1519 R	Γ (turn) or R (release) and /PC57/LH).	
* For coin release with ir us for coding information	*	





Door Lever Sets - 15 series

1552

1556

1561/1571

1567/1577

privacy turn

latch/passage

Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 1552 Concealed Fix Rosette supplied with no.6 x 19m wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210. NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order Split Finish Sets -order as singles

1551, 1552, 1556, 1561 & 1571: 1) select LEVER SET (e.g. 1556) 2) add FINISH (e.g. 1556PB) If half set only required - add HANDING (e.g. 1556PB**/LH**).

1562-5 & 1572-5:

1) select PLATE SIZE & FUNCTION (e.g. 1563)

2) add FINISH (e.g. 1563PC)

3) add CENTRES (e.g. 1563PC57) If half set only required add HANDING (e.g. 1563PC57/LH).

1567-9 & 1577-9:

1) select PLATE SIZE & TURN DESIGN (e.g. **1569**) 2) add FINISH (e.g. 1569PC) 3) add CENTRES (e.g. 1569PC57) For half set coding add T (turn) or R (release) and HANDING (e.g. 1569**R/**PC57/LH).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.





1562/1572

1568/1578

privacy turn

keyhole

plate size 103 1552 1561-9 1571-9 1556



Ø 54

Microtite, Fixed Dead and Unsprung options available see page DF1:210

102 x 40 175 x 40 230 x 40



1563/1573 keyhole with cover



1569/1579 privacy turn privacy turns & releases supplied loose for on-site handing - assembly tool supplied



1564/1574

oval cylinder

release with indication (* see notes)

1565/1575

euro cylinder

DF1:110 © Frank Allart 2018



Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 4402 & 4403 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order Split Finish Sets order as singles

4400, 4401, 4402, 4403, 4406, 4411 & 4421: l) select LEVER SET (e.g. **4406**)

2) add FINISH (e.g. 4406**PB**)

If half set only required - add HANDING (e.g. 4406PB**/LH**).

4412-5 & 4422-5:

l) select PLATE SIZE & FUNCTION (c.g. **4413**)

2) add FINISH (e.g. 4413 \mathbf{PC})

3) add CENTRES (c.g. 4413PC**57**) If half set only required add HANDING (c.g. 4413PC57**/LH**).


4417-9 & 4427-9:

1) select PLATE SIZE & TURN DESIGN (e.g. 4419)
2) add FINISH (e.g. 4419PC)
3) add CENTRES (e.g. 4419PC57)
For half set coding add T (turn) or R (release)

and HANDING (e.g. 4419**R/**PC57**/LH**). * For coin release with indication please contact

us for coding information.

Finishes - See our price list or website for finish availability.



DF1:120 © Frank Allart 2018

Door Lever Sets - 44 series

Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 4452 & 4453 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness). Alternative spindle lengths and functions are available - see page DF1:210. NB. Microtite Spindle Option is recommended for hollow core doors or

How to Order Split Finish Setsorder as singles 4450, 4451, 4452, 4453, 4456, 4461 & 4471:

.....

those with door controls and/or seals.

- 1) select LEVER SET (e.g. 4456)
- 2) add FINISH (e.g. 4456 $\ensuremath{\textbf{PB}}\xspace)$
- If half set only required add HANDING (e.g. 4456PB**/LH**).

4462-5 & 4472-5:

- 1) select PLATE SIZE & FUNCTION (e.g. **4463**)
- 2) add FINISH (e.g. 4463**PC**)
- 3) add CENTRES (c.g. 4463PC**57**) If half set only required add HANDING (c.g. 4463PC57**/LH**).


4467-9 & 4477-9:

 1) select PLATE SIZE & TURN DESIGN (c.g. 4469)
 2) 11 FIDUSU (4460DC)

2) add FINISH (e.g. 4469**PC**) 3) add CENTRES (e.g. 4469PC**57**) For half set coding add T (turn) or R (release) and HANDING (e.g. 4469**R/**PC57**/LH**).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.



© Frank Allart 2018

DF1:140 © Frank Allart 2018

The series of the series and the series of the series o

Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.





9032



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 9032 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order Split I order

Split Finish Sets order as singles

9031, 9032, 9011 & 9021: 1) select LEVER SET (c.g. **9031**) 2) add FINISH (c.g. 9031**PB**) If half set only required - add HANDING (c.g. 9031PB**/LH**).

9012-5 & 9022-5:

 select PLATE SIZE & FUNCTION (e.g. 9012)
 add FINISH (e.g. 9012PC)

3) add CENTRES (e.g. 9012PC**57**) If half set only required add HANDING (e.g. 9012PC57**/LH**).

9017 & 9027:

 select PLATE SIZE (e.g. 9017)
 add FINISH (e.g. 9017PC)
 add CENTRES (e.g. 9017PC57)
 For half set coding add T (turn) or R (release) and HANDING (e.g. 9017R/PC57/LH).

* For coin release with indication please contact us for coding information.

Door Lever Sets - 37 series

Spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws and an 8mm x 90mm stainless steel spindle (60mm max. door thickness). Alternative spindle lengths and functions are available - see DF1:210. NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order Split Finish Sets order as singles

3711, 3741, 3751 & 3761: 1) select LEVER SET (e.g. **3741**) 2) add FINISH (e.g. 3741**PB**) If half set only required - add

HANDING (e.g. 3741PB/LH). 3752-5 & 3762-5:

1) select PLATE SIZE & FUNCTION (e.g. **3753**)

2) add FINISH (e.g. 3753**PC**)

3) add CENTRES (e.g. 3753PC57)

If half set only required add HANDING (e.g. 3753PC57**/LH**).

3757-9 & 3767-9:

 select PLATE SIZE & TURN DESIGN (c.g. 3759)
 add FINISH (c.g. 3759PC)
 add CENTRES (c.g. 3759PC57)
 for half set coding add T (turn) or R (release) and HANDING (c.g. 3759R/PC57/LH).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.





DF1:150 © Frank Allart 2018

DF1:160

© Frank Allart 2018

06/15

Door Lever Sets - 50 series

Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 5052 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order order as singles

Split Finish Sets

5050, 5052, 5056, 5061 & 5071:

1) select LEVER SET (e.g. 5056)

2) add FINISH (e.g. 5056**RG**)

If half set only required - add HANDING (e.g. 5056RG/LĤ).

5062-5 & 5072-5:

- 1) select PLATE SIZE & FUNCTION (e.g. 5063)
- 2) add FINISH (e.g. 5063RG)

3) add CENTRES (e.g. 5063RG57)

If half set only required add HANDING (e.g. 5063RG57/LH).

5068-9 & 5098-9:

- 1) select PLATE SIZE & TURN DESIGN (e.g. **5068**)
- 2) add FINISH (e.g. 5068**RG**)


3) add CENTRES (e.g. 5068RG57)


For half set coding add T (turn) or R (release) and HANDING (e.g. 5068R/RG57/LH).

* For coin release with indication please contact us for coding information.




Available in solid bronze finishes only.







Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



4602

Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 4602 Concealed Fix Rosette supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness)

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

Split Finish Sets -How to Order order as singles 4600, 4602, 4606, 4611 & 4621:

1) select LEVER SET (e.g. 4606)

2) add FINISH (e.g. 4606RG) If half set only required - add HANDING (e.g. 4606RG/LĤ).

4612-5 & 4622-5:

1) select PLATE SIZE & FUNCTION (e.g. **4613**)

2) add FINISH (e.g. 4613RG)

3) add CENTRES (e.g. 4613RG57) If half set only required add HANDING

(e.g. 4613RG57/LH). 4618-9 & 4628-9:


1) select PLATE SIZE & TURN DESIGN (e.g. **4618**)

2) add FINISH (e.g. 4618RG) 3) add CENTRES (e.g. 4618RG57) For half set coding add T (turn) or R (release) and HANDING (e.g. 4618**R/**RG57**/LH**).

* For coin release with indication please contact us for coding information.

Finishes

BZ Available in solid bronze finishes only.





Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings

Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 4202 Concealed Fix Rosette supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order Split Finish Sets order as singles

4200, 4202, 4206, 4211 & 4221:

 select LEVER SET (c.g. 4206)
 add FINISH (c.g. 4206PB)
 If half set only required - add HANDING (c.g. 4206PB/LH).

4212-5 & 4222-5:

1) select PLATE SIZE & FUNCTION (e.g. **4213**)

2) add FINISH (c.g. 4213**PC**) 3) add CENTRES (e.g. 4213PC**57**) If half set only required add HANDING (c.g. 4213PC57**/LH**).

4217-9 & 4227-9:

l) select PLATE SIZE & TURN DESIGN (c.g. 4219)

2) add FINISH (c.g. 4219**PC**) 3) add CENTRES (c.g. 4219**PC57**) For half set coding add T (turn) or R (release) and HANDING (c.g. 4219**R/**PC57**/LH**).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.



4202/4203 70 4200/4201 4206 111 4200 4201 4202 4203 4206 4211-9 4221-9 Plate Ø 51 Ø 60 Ø 54 Ø 60 102 x 41 152 x 41 220 x 41 Size Microtite, Fixed Dead and Unsprung options available - see page DF1:210 4221-9 4211-9 4211/4221 4212/4222 4213/4223 4214/4224 4215/4225 keyhole keyhole with cover 4219/4229 4217/4227 4218/4228 standard release release supplied with with indication privacy turn privacy turn privacy turn privacy sets (* see notes) privacy turns & releases supplied loose for on-site handing - assembly tool supplied

UPDATED 07/16 DF1:180 © Frank Allart 2018



Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 5722 Concealed Fix Rosette supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

How to Order Split Finish Sets order as singles

5720, 5722, 5746, 5751 & 5761: 1) select LEVER SET (e.g. **5746**) 2) add FINISH (e.g. 5746**PB**) If half set only required - add HANDING

If half set only required - add HANDING (e.g. 5746PB**/LH**).

5752-5 & 5762-5:

1) select PLATE SIZE & FUNCTION (e.g. **5753**)

2) add FINISH (e.g. 5753PC)
3) add CENTRES (e.g. 5753PC57)
If half set only required add HANDING (e.g. 5753PC57/LH).


5757-9 & 5767-9:

l) select PLATE SIZE & TURN DESIGN (e.g. **5759**)

2) add FINISH (e.g. 5759**PC**) 3) add CENTRES (e.g. 5759PC**57**) For half set coding add T (turn) or R (release) and HANDING (e.g. 5759**R/**PC57**/LH**).

* For coin release with indication please contact us for coding information.

Finishes - See our price list or website for finish availability.






© Frank Allart 2018

Door Lever Sets - 61 series

Traditional spring loaded Door Lever Sets offered in Latch/Passage, Privacy, Keyhole and Profile Cylinder configurations.



Fixings Standard Lever Sets are designed for uncontrolled, hinged, solid residential doors and are supplied with finish matched no.6 x 19mm wood screws (except 6102 & 6103 Concealed Fix Rosette - supplied with no.6 x 19mm wood screws and M5 x 70mm machine screws for bolt through fixing - see page DF1:210); and an 8mm x 90mm stainless steel spindle (60mm max. door thickness).

Alternative spindle lengths and functions are available - see page DF1:210.

NB. Microtite Spindle Option is recommended for hollow core doors or those with door controls and/or seals.

Split Finish Sets -

How to Order order as singles 6100, 6101, 6102, 6103, 6116, 6121 & 6131:

- 1) select LEVER SET (e.g. **6116**)
- 2) add FINISH (e.g. 6116PB)

If half set only required - add HANDING (e.g. 6116PB**/LH**).

6122-5 & 6132-5:

l) select PLATE SIZE & FUNCTION (e.g. **6123**)

2) add FINISH (e.g. 6123**PC**)

3) add CENTRES (e.g. 6123PC57)


If half set only required add HANDING (e.g. 6123PC57**/LH**).

6127-9 & 6137-9:

l) select PLATE SIZE & TURN DESIGN (c.g. **6129**)

add FINISH (c.g. 6129**PC**)
 add CENTRES (c.g. 6129PC**57**)
 For half set coding add T (turn) or R (release)

and HANDING (e.g. 6129**R/**PC57**/LH**). * For coin release with indication please contact us for coding information.






Door Lever Options

Fixed Dead (Dummy) Option


As an alternative to using Taylors Spindles we can factory fix dead levers to plates and roses.


To order this option, add **FD** to code for half sets (e.g. 5521PB/RH/FD), or FDS for full sets (e.g. 5521PB/FDS).



Methodology:

Plate adapted to prevent lever from rotating, then an M10 Clamping Bolt with threadlock secures lever in place.






Spindle Options



9005 Plain Spindle (stainless steel)

Unsprung Option

All traditional Levers are available Unsprung, which will facilitate use with a multipoint lock mechanism. To order this option add NSP to code (e.g. 5535PC92/NSP for full sets & 5535PC92/LH/NSP for half sets).



Microtite Option

- · Recommended for hollow core doors or those fitted with a door control and/or seals.
- Unique sprung design.
- Infinitely adjustable for doors between 35mm and 65mm thick.
- All the pulling force is transferred through the spindle.
- No visible grubscrew.

8

С

175

Т

А

90

130

• Split finish sets are available - please contact us for coding and pricing information.

To order this option add **MC** after primary code (e.g. 4478**MC/**PC72)

Concealed Fix Rosettes

All traditional Levers (section DF1) are available fitted to concealed fix, sprung loaded, rosettes.

These provide for woodscrew fixing and/or through bolt fixing using break-off machine screws at 38mm centres in a horizontal orientation.

Alternative orientations (eg. vertical) can be provided - please contact us for further information.

Fixings provided (all stainless steel) - 8pcs no.6 x 19mm wood screws & 2pcs M5 x 70mm break-off machine screws per set (screw pack also available separately - code 01/036).



9000 Taylors Spindle (zinc plated steel)

20

LEVER & TURN OPTIONS

See section ST1 for Lever options

See pages ST6:020 & 030

for Turn options

-50-

90

92

280

Multipoint Lever Sets - 397 Series

397E

An unsprung, Regency style, Door Lever Set, configured to work with both European and US Multipoint Locks. Alternative through-bolt positions are available upon request.



Fixings

Supplied with M5 x 25mm finish matched slotted blind nuts, M5 allthreads and an 8mm x 110mm stainless steel lockpoint spindle with grubscrews, all to suit doors up to 75mm thick.

> Split Finish Sets order as singles

How to Order

l) select LOCK TYPE (e.g. **397M**)

2) add FUNCTION code (e.g. 397M02)

3) choose TURN, see Allart Select pages ST7:130/140 for Turn options (e.g. 397M02/**T61**)

3) add FINISH (e.g. 397M02/T61/ABU)


4) choose LEVER, see Allart Select section ST1 for Lever options (use code 3711 for Lever illustrated here) (e.g. 397M02/T61/ABU/**7771**)

5) add HANDING (e.g. 397M02/T61/ABU/7771**RH**).

For FIX DEAD pairs of plates add FDS to code (e.g. 397M04/ABU/7771RH**/FDS**).

For FIX DEAD single plates add FD to code (e.g. 397M09/ABU/7771RH**/FD**).

NB. Multipoint Lock Sets are handed from the OUTSIDE plate - see illustrations.







397G/397P


13

13

13







outside grubscrew inside N5 allthread circlip fixed lockpoint spindle inside Function F01 shown (RH)


397M (Marvin)

397G (GU) or 397P (Pella)

> UPDATED 07/18 DF1:230 © Frank Allart 2018

-50-

Function Codes - 397 Series Multipoint Locks



(*) If functions 02 & 04 are required with operating inside handles & fixed dead dummy outside handles, please order two separate single plates (Function codes 06-10)

DF1:240 © Frank Allart 2018


Door Furniture

Door Lever Sets - Multipoint Locks

Two unsprung Multipoint Lock Plate Sets, both available with a choice of nine standard Lever designs. Each plate type is configured to work with different Lock through-bolt positions as illustrated. Alternative Levers and through-bolt positions are available upon request.







LH Set shown with 5361 Levers & 92mm centres

3004







Plate thickness 10mm





		LEVER CODES		
Corres and the second s		6	-	\sim
1501	1551	5220	5331	5361
	Ĩ			Please refer to pages DF1:010 to 140 for dimensional
5410	5510	5720	9031	information

alternative Levers available upon request

How to Order Split Finish Sets order as singles 1) select PLATE 3004 or 3006 (note different fixing positions)

Supplied with M5 x 25mm finish matched

slotted blind nuts, M5 allthreads and an 8mm x 110mm stainless steel lockpoint

spindle with grubscrews, all to suit doors

Fixings

up to 75mm thick.

.....

2) add FINISH (e.g. 3004**PC**) 3) add CENTRES (e.g. 3004**PC92**) 4) add LEVER DESIGN (e.g. 3004PC92**/5220**) 5) add HANDING (e.g. 3004PC92/5220**RH**)

NB. Multipoint Lock Sets are handed from the OUTSIDE plate - see illustrations

.....

Single Plates & Exterior Plate without Cylinder cutout are available - please contact us for coding information.

Door Furniture Bi-fold Door Handle & 3R35 Locking Latch

1210 is a Bi-fold Door Handle for sliding folding door sets. The handle is spring loaded to eliminate rattle.

1218 is a Reversible sprung Door Lever Set designed to operate a Chubb/Union 3R35 Locking Latch, with a choice of alternative levers available.



Fixings

1210 - Supplied with finish matched no.8 x 38mm wood screws and fixed 8mm spindle (90mm max. door thickness).

1218 - Plate supplied with finish matched no.6 x 25mm wood screws. Escutcheon supplied with finish matched no.4 x 13mm wood screws.


.....

How to Order

1) select HANDLE or LATCH (e.g. 1218). 2) add FINISH (e.g. 1218**PB**).


Finishes - See our price list or website for finish availability.











(*) projection will vary if alternative lever specified

A large choice of alternative levers are available upon request.

> UPDATED 07/18 DF1:260 © Frank Allart 2018