


# Thumb Turns - 44mm to 76mm Ø Rosettes

A Rosette & Thumb Turn combination with 5mm spindle fitted, offered with twelve Rosette designs - each available in up to four sizes - and over twenty different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.




approx actual size B



	A*	B	C	D
D (diameter)	Ø 44	Ø 54	Ø 64	Ø 76


Custom sizes available upon request - surcharge may apply.

\* 7470 not available in A size



See page ST7:130 & 140 for Turn options

▲ 7460 size B Rosette with T61 Turn



▲ 7460

▲ 7461

▲ 7462

▲ 7463

▲ 7465

▲ 7466

▲ 7467

▲ 7468

▲ 7469

▲ 7470

▲ 7471

▲ 7472

not available in A size

## Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws, 5-8mm converter sleeve and installation instructions.

Pre-Bore Adaptors supplied with M5 machine screws to suit doors between 32mm and 44mm thick. Longer screws are available - see page ST6:070.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

## How to Order

- 1) select ROSETTE DESIGN (e.g. 7465)
- 2) add SIZE (e.g. 7465B)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. 7465B/T62S)
- 4) add FINISH (e.g. 7465B/T62S/PC)

For CLOSET SPINDLE configuration add CLS (e.g. 7465B/T62S/PC/CLS).

For PRE-BORE ADAPTOR (sizes C & D only) add PRE (e.g. 7465C/T62S/PC/PRE).

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 7465C/T62S/PC/XL).

**Finishes** - See our price list or website for finish availability.



subrose, alignment insert, and 5-8mm converter sleeve supplied



▲ **PRE**  
pre-bored  
adaptor option  
(see ST6:070 for dimensions)



▲ **CLS**  
closet spindle  
option





SQUARE (e.g. T61S)

DIAMOND (e.g. T61D)

▲ spindle orientation

# Coin Releases - 44mm to 76mm Ø Rosettes

A concealed fix Coin Release offered in twelve designs and up to four sizes to match up with the Thumb Turns to be found on page ST7:010.




	A*	B	C	D
D (diameter)	Ø 44	Ø 54	Ø 64	Ø 76

Custom sizes available upon request - surcharge may apply.

\* 7470CR not available in A size.

▲ 7462CR



▲ 7460CR

▲ 7461CR

▲ 7462CR

▲ 7463CR

## Fixings


Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions.



## How to Order

- 1) select ROSETTE DESIGN (e.g. 7460)
- 2) add SIZE (e.g. 7460B)
- 3) add CR (e.g. 7460B/CR)
- 4) add FINISH (e.g. 7460B/CR/PB)

**Finishes** - See our price list or website for finish availability.



▲ 7469CR

▲ 7470CR

▲ 7471CR

▲ 7472CR


# Coin Releases - 54mm to 76mm Ø with indicator

A concealed fix Coin Release with red/green status indication, offered in 3 diameters and twelve designs to match up with the Thumb Turns to be found on page ST7:010.


Due to design restrictions this Indicating Release is not available in 44mm diameter.



approx actual size B



	A	B	C	D
D (diameter)	—	Ø 54	Ø 64	Ø 76



**Designed to work in conjunction with Allart Select Thumb Turns (ST7:010)**

▲ 7485




▲ 7480

▲ 7481

▲ 7482

▲ 7483

▲ 7485




▲ 7486

▲ 7487

▲ 7488

▲ 7489

▲ 7490



▲ 7491

▲ 7492

## Fixings

Supplied with no.4 x 13mm wood screws (faceplate threads on for concealed fixing).



red/green indication

## How to Order

- 1) select RELEASE (e.g. 7480)
- 2) add SIZE (e.g. 7480B)
- 3) add FINISH (e.g. 7480B/PB)


**Finishes** - See our price list or website for finish availability.



# Thumb Turns - 38mm Ø Rosettes

A Rosette & Thumb Turn combination with 5mm spindle fitted, offered with ten Rosette designs and eight different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



## Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

## How to Order

- 1) select ROSETTE DESIGN (e.g. **7918**)
- 2) add TURN CODE & SPINDLE ORIENTATION (e.g. 7918/**T62S**)
- 3) add FINISH (e.g. 7918/T62S/**PC**)

For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 7918/T62S/PC/**CLS**)

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 7918/T62S/PC/**XL**).



A 5-8mm converter sleeve is available - see page ST6:070


**Finishes** - See our price list or website for finish availability.



▲ **7934** Rosette with T61 Turn



See page ST7:130 & 140 for dimensions



# Coin Releases - 38mm Ø Rosettes

A concealed fix Coin Release offered in ten designs to match up with the Thumb Turns to be found on page ST7:050.



## Fixings


Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions.




## How to Order

- 1) select RELEASE (e.g. **7918CR**)
- 2) add FINISH (e.g. **7918CR/PB**)

**Finishes** - See our price list or website for finish availability.





designed to work in conjunction with Allart Select thumb turns (ST7:050)




# Thumb Turns - 32mm Ø Rosettes

A Rosette & Thumb Turn combination with 5mm spindle fitted, offered with ten Rosette designs and over twenty different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



▲ 7945 Rosette with T51 Turn



## Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws, release key and installation instructions.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

## How to Order

- 1) select ROSETTE DESIGN (e.g. **7916**)
- 2) add TURN CODE & SPINDLE ORIENTATION (e.g. 7916/**T51S**)
- 3) add FINISH (e.g. 7916/T51S/**PC**)

For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 7916/T51S/PC/**CLS**)


NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 7916/T51S/PC/**XL**).



A 5-8mm converter sleeve is available - see page ST6:070

▲ subrose and alignment insert supplied

▲ **CLS** closet spindle option (see page ST6:070 for dimensions)



▲ spindle orientation

**Finishes** - See our price list or website for finish availability.



# Coin Releases - 32mm Ø Rosettes

A concealed fix Coin Release offered in ten designs to match up with the Thumb Turns to be found on page ST7:070.



## Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions.




Subrose and alignment insert supplied

## How to Order

- 1) select RELEASE (c.g. **7916CR**)
- 2) add FINISH (c.g. **7916CR/PB**)

**Finishes** - See our price list or website for finish availability.



designed to work in conjunction with Allart Select thumb turns (ST7:070)



# Thumb Turns - Concealed Fix Square Plates


A Concealed Fix Square Plate & Thumb Turn combination with 5mm spindle fitted, offered with nine Square Plate designs - each available in up to five sizes - and over 30 different Thumb Turns.



6003AB/T78 shown actual size



See pages ST7:130 &amp; 140 for Turn options




	AB	AA	A	B	C
L x W x T	32 x 32 x 5	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
3203 only	47 x 32 x 5	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

Custom sizes available upon request - surcharge may apply.




5903AB/T67S/PN




size B shown with T55 turn

▲ 3203



size B shown with T59 turn

▲ 4703




size B shown with T63 turn

▲ 4903



size B shown with T61 turn

▲ 5903



size B shown with T62 turn

▲ 6003



size B shown with T68 turn

▲ 6603



size B shown with T56 turn

▲ 6703 (square edge design)



size B shown with T55 turn

▲ 6803 (round edge design)



size B shown with T66 turn

▲ 8703

## Fixings

All sizes supplied with subrose, alignment insert, no.4 x 13mm wood screws, assembly key, allen key, and installation instructions. In addition, sizes A, B & C are supplied with a 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

## How to Order

- 1) select PLATE DESIGN (e.g. **6003**)
- 2) add SIZE (e.g. 6003**B**)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. 6003B/**T62S**)
- 4) add FINISH (e.g. 6003B/T62S/**PC**)


For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 6003/T62S/PC/**CLS**)

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 6003C/T62S/PC/**XL**).

**Finishes** - See our price list or website for finish availability.



▲ 5-8mm converter sleeve supplied with sizes A, B &amp; C only


▲ **CLS** closet spindle option (see page ST6:070 for dimensions)



▲ spindle orientation



# Releases - Concealed Fix Square Plates

A Concealed Fix Square Plate Swing Cover Release offered in nine designs and five sizes to match up with the Thumb Turns to be found on page ST7:085.

Beneath the Swing Cover we offer a choice of either a plain hole to accept a release key or a coin release as shown.



	AB	AA	A	B	C
L x W x T	32 x 32 x 5	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
8920/8950	47 x 32 x 5	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

Custom sizes available upon request - surcharge may apply.

## Fixings

Supplied with finished matched no. 4 x 19mm wood screws. In addition the plain hole version is supplied with a release key


## How to Order

- 1) select COIN RELEASE or PLAIN HOLE version (e.g. **8924**)
- 2) add SIZE (e.g. 8924**AA**)
- 3) add FINISH (e.g. 8924AA/**PB**)

**Finishes** - See our price list or website for finish availability.



Swing Cover with Plain Hole supplied with nickel plated key (see page ST6:070 for dimensions)



# Thumb Turns - Face Fixed Square Plates

A Face Fixed Square Plate & Thumb Turn combination with 5mm spindle fitted, offered with nine Square Plate designs - each available in up to four sizes - and over 30 different Thumb Turns.




4953A/T66S/IBU



5953B/T61 shown




See pages ST7:130 &amp; 140 for Turn options




	AA	A	B	C
L x W x T	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
3253 only	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

Custom sizes available upon request - surcharge may apply.



size B shown with T55 turn

▲ 3253



size B shown with T59 turn

▲ 4753



size B shown with T63 turn

▲ 4953



size B shown with T61 turn

▲ 5953



size B shown with T62 turn

▲ 6053



size B shown with T68 turn

▲ 6653



size B shown with T56 turn

▲ 6753 (square edge design)



size B shown with T55 turn

▲ 6853 (round edge design)



size B shown with T66 turn

▲ 8753

## Fixings

Size AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws and 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

## How to Order

- 1) select PLATE DESIGN (e.g. **6653**)
- 2) add SIZE (e.g. 6653**B**)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. 6653B/**T62S**)
- 4) add FINISH (e.g. 6653B/T62S/**PC**)


For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 6653C/T62S/PC/**CLS**)

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 6653C/T62S/PC/**XL**).

**Finishes** - See our price list or website for finish availability.



▲ 5-8mm converter sleeve supplied with sizes A, B &amp; C only


▲ **CLS** closet spindle option (see page ST6:070 for dimensions)


▲ spindle orientation

# Releases - Face Fixed Square Plates

A Face Fixed Square Plate with Swing Cover/Coin Release options offered in nine designs and four sizes to match up with the Thumb Turns to be found on page ST7:090.


Size AA is only available with code R01 Coin Release.

For sizes A, B & C please see page ST6:040 for Swing Cover/Coin Release options.

5953A/R02/PN



Swing Cover/Coin Release options - see page ST6:040




	AA*	A**	B	C
L x W x T	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
3253 only	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

\* only available with R00 & R01 Releases

\*\* only available with R00, R01 & R02 Releases

Custom sizes available upon request - surcharge may apply.

All images shown below are B size (54mm) with R02 coin release



## Fixings

Sizes AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws.

## How to Order

- 1) select PLATE DESIGN (e.g. 5953)
- 2) add SIZE (e.g. 5953B)
- 3) **Sizes A, B & C:** add COVER/RELEASE code (e.g. 5953B/R12)  
**Size AA:** add R01 - this is the only RELEASE option available at these sizes (e.g. 5953AA/R01)
- 4) add FINISH (e.g. 5953B/R12/PB or 5953AA/R01/PB)

**Finishes** - See our price list or website for finish availability.



Swing Cover with plain hole supplied with nickel plated key (see page ST6:070 for dimensions)



# Thumb Turns - Concealed Fix Diamond Plates

A Concealed Fix Diamond Plate & Thumb Turn combination with 5mm spindle fitted, offered with four Diamond Plate designs - each available in five sizes - and over 30 different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



5904AA/T67S/PN

## Fixings

All sizes supplied with subrose, alignment insert, no.4 x 13mm wood screws, assembly key, allen key, and installation instructions. In addition, sizes A, B & C are supplied with a 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.


## How to Order

- 1) select PLATE DESIGN (e.g. **4704**)
- 2) add SIZE (e.g. 4704**B**)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. 4704B/T**62S**)
- 4) add FINISH (e.g. 4704B/T62S/**PC**)

For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 4704B/T62S/PC/**CLS**)

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 4704B/T62S/PC/**XL**).

**Finishes** - See our price list or website for finish availability.



size B shown with T59 turn

▲ 4704



size B shown with T66 turn

▲ 4904





size B shown with T61 turn

▲ 5904



size B shown with T62 turn

▲ 6004




See pages ST7:130 &amp; 140 for Turn options

	AB	AA	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6

Custom sizes available upon request - surcharge may apply.



▲ 5-8mm converter sleeve supplied with sizes A, B &amp; C only


▲ **CLS** closet spindle option (see page ST6:070 for dimensions)


▲ spindle orientation

# Releases - Concealed Fix Diamond Plates

A Concealed Fix Diamond Plate Swing Cover Release offered in four designs and five sizes to match up with the Thumb Turns to be found on page ST7:105.

Beneath the Swing Cover we offer a choice of either a plain hole to accept a release key or a coin release as shown.



8933AA/PN

## Fixings

Sizes AB & AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws.

## How to Order

- 1) select COIN RELEASE or PLAIN HOLE VERSION (e.g. **8932**)
- 2) add SIZE (e.g. 8932**B**)
- 3) add FINISH (e.g. 8932B/**PB**)

**Finishes** - See our price list or website for finish availability.



Swing Cover Releases supplied with nickel plated key (see page ST6:070 for dimensions)


computer generated images (AA size shown)

▲ **8930** with coin release  
**8960** with plain hole

▲ **8931** with coin release  
**8961** with plain hole

▲ **8932** with coin release  
**8962** with plain hole

▲ **8933** with coin release  
**8963** with plain hole



▲ **coin release version**



▲ **plain hole version**

	AB	AA	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6

Custom sizes available upon request - surcharge may apply.

# Thumb Turns - Face Fixed Diamond Plates

A Face Fixed Diamond Plate & Thumb Turn combination with 5mm spindle fitted, offered with four Diamond Plate designs - each available in five sizes - and over 30 different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



4954B/T63S/SN



size B shown with T59 turn

▲ 4754



size B shown with T66 turn

▲ 4954



size B shown with T61 turn

▲ 5954



size B shown with T62 turn

▲ 6054

## Fixings

Sizes AB & AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws and 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.


## How to Order

- 1) select PLATE DESIGN (e.g. **4754**)
- 2) add SIZE (e.g. 4754**B**)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. 4754B/**T62S**)
- 4) add FINISH (e.g. 4754B/T62S/**PC**)


For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 4754B/T62S/PC/**CLS**)

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 4754B/T62S/PC/**XL**).

**Finishes** - See our price list or website for finish availability.




See pages ST7:130 &amp; 140 for Turn options




	AB	AA	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6

Custom sizes available upon request - surcharge may apply.



▲ 5-8mm converter sleeve supplied with sizes A, B &amp; C only


▲ **CLS** closet spindle option (see page ST6:070 for dimensions)


▲ spindle orientation




# Releases - Face Fixed Diamond Plates

A Face Fixed Diamond Plate with Swing Cover/Coin Release options offered in four designs and five sizes to match up with the Thumb Turns to be found on page ST7:110.

Sizes AB & AA are only available with code R01 coin Release.

For sizes A, B & C please see page ST6:040 for Swing Cover/Coin Release options.



6054A/R02/IBU

all images shown below are B size (54mm) with R02 Coin Release



▲ 4754

▲ 4954



▲ 5954

▲ 6054

## Fixings

Sizes AB & AA supplied with finish matched no.4 x 19mm wood screws.


Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws.

## How to Order

- 1) select PLATE DESIGN (e.g. **5954**)
- 2) add SIZE (e.g. 5954**B**)
- 3) **Sizes A, B & C:** add COVER/RELEASE code (e.g. 5954B/**R12**)  
**Sizes AA & AB:** add R01 - this is the only RELEASE option available at these sizes (e.g. 5954AA/**R01**)
- 4) add FINISH (e.g. 5954B/R12/**PB** or 5954AA/R01/**PB**).

**Finishes** - See our price list or website for finish availability.


## Swing Cover/Coin Release options - see page ST6:040



	AB*	AA*	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6

\* only available with R01 Coin Release

Custom sizes available upon request - surcharge may apply.



Swing Cover Releases supplied with nickel plated key (see page ST6:070 for dimensions)

# Thumb Turn Options

▲ T51 <sup>†</sup>		▲ T61 <sup>◇</sup>		▲ T65 <sup>◇</sup>	
▲ T53 <sup>†</sup>		▲ T66 <sup>◇</sup>		▲ T54 <sup>†</sup>	
▲ T52 <sup>†</sup>		▲ T62 <sup>◇</sup>		▲ T68 <sup>◇</sup>	
▲ T55 <sup>†</sup> 30(H) x 17(W) x 27(P) T72 <sup>†</sup> 25(H) x 13(W) x 21(P)		▲ T56 <sup>†</sup> 30(H) x 17(W) x 27(P) T73 <sup>†</sup> 25(H) x 13(W) x 21(P)		▲ T63 <sup>†</sup>	
▲ T57		▲ T58		▲ T69 <sup>†</sup>	
▲ T92 <sup>†</sup>					

## SPINDLE ORIENTATION



▲ S Square (e.g. T61S)

































▲ D Diamond (e.g. T61D)

<sup>†</sup> Turn design not suitable for use with 38mm Ø rosettes (page ST7:050).

<sup>◇</sup> Turn design not suitable for use with 32mm Ø rosettes (page ST7:070).

\* Total projection: add 7mm for rosette &amp; 6mm for plate.



# Thumb Turn Options

  <p>▲ <b>T59†</b></p>	  <p>▲ <b>T60†</b></p>	  <p>▲ <b>T75†</b></p>
  <p>computer generated image</p> <p>▲ <b>T76†</b></p>	  <p>▲ <b>T74†</b></p>	  <p>▲ <b>T77†</b></p>
  <p>▲ <b>T89†</b></p>	  <p>▲ <b>T67†</b></p>	  <p>▲ <b>T79† 38(H) x 21(W) x 26(P)</b> ▲ <b>T78† 30(H) x 17(W) x 24(P)</b></p>
  <p>▲ <b>T86†</b></p>	  <p>▲ <b>T87†</b></p>	  <p>▲ <b>T88†</b></p>
  <p>▲ <b>T82† 32(A/F) x 30(P)</b> ▲ <b>T81† 25(A/F) x 25(P)</b></p>	  <p>▲ <b>T84† 32(A/F) x 28(P)</b> ▲ <b>T83† 25(A/F) x 23(P)</b></p>	  <p>▲ <b>T64</b></p>

† Turn design not suitable for use with 38mm Ø rosettes (page ST7:050).

◇ Turn design not suitable for use with 32mm Ø rosettes (page ST7:070).

\* Total projection: add 7mm for rosette & 6mm for plate.

SPINDLE ORIENTATION	
 <p>▲ <b>S Square (e.g. T61S)</b></p>	 <p>▲ <b>D Diamond (e.g. T61D)</b></p>



# Additional Turns, Releases & Escutcheons

Available in the Door Furniture sections DF5 & DF6.

